

How attributes are presented in a spec (att.transcriptional):

Attributes	<p>att.editLike (@evidence, @source, @instant) (att.dimensions (@unit, @quantity, @extent, @precision, @scope) (att.ranging (@atLeast, @atMost, @min, @max, @confidence))) (att.responsibility (@cert, @resp))</p> <p>@hand ¶</p> <p>signifies the hand of the agent which made the intervention.</p> <p>Status Optional</p> <p>Datatype XML syntax</p> <div>data.pointer</div> <p>Values must refer to a handNote element, typically declared in the document header (see section 11.3.2.1 Document Hands).</p>
-------------------	---

Kevin's suggested presentation (broken across two pages just for ease of printing):

Attributes	<p><i>Inherited from classes:</i></p> <p>From att.editLike:</p> <ul style="list-style-type: none">evidencesourceinstant <p>From att.dimensions:</p> <ul style="list-style-type: none">unitquantityextentprecisionscope <p>From att.ranging:</p> <ul style="list-style-type: none">atLeastatMostminmax
-------------------	--


confidence

From [att.responsibility](#):

cert

resp

Other attributes:

hand signifies the hand of the agent which made the intervention.

Status Optional

Datatype XML syntax

[data.pointer](#)

Values must refer to a [handNote](#) element, typically declared in the document header (see section [11.3.2.1 Document Hands](#)).